



Pneumatic stamping machine PT 35

Effortless and quick marking of small and medium-sized series with pneumatically supported impact.

Pneumatic stamping machine PT 35

Effortless and quick marking of small and medium-sized series with pneumatically supported impact.



WIR. PRÄGEN. ZUKUNFT.

Benefits

- Mark up to 30 characters into steel and up to 70 characters into aluminum
- Useable for metal, leather, plastics
- Tool-free operation through e.g. pushing of the two-hand release
- Stageless adjustable power of impact for perfect results
- Different heights of work pieces can be marked with a single adjustment
- Option: Lock against rotation for perfect markings

Number of characters that can be marked (approximate value)

Depending on font size and material (steel St 37/aluminium)

Schriftgröße	PT 12	PT 21	PT 35
1,5 mm	6 / 13	14 / 26	30 / 70
2,0 mm	5 / 12	12 / 24	26 / 65
2,5 mm	4 / 10	11 / 22	19 / 60
3,0 mm	3 / 8	9 / 20	17 / 55
4,0 mm	2 / 6	8 / 16	15 / 50
5,0 mm	1 / 5	6 / 14	12 / 46

Die angegebenen Werte sind Richtwerte. Haben Sie Zweifel, ob die Prägemaschine für Ihre Anforderungen ausreichend ist? Senden Sie uns hierzu einfach ein Materialmuster zu. Wir prüfen Ihre Anforderungen gerne in der Praxis ab. Oder aber, wir senden Ihnen ein Testgerät unverbindlich zu.

Pneumatic stamping machine PT 35

Effortless and quick marking of small and medium-sized series
with pneumatically supported impact.



WIR. PRÄGEN. ZUKUNFT.

Technical data

		PT 12	PT 21	PT 35
Pneumatics				
Requires air pressure	bar	4,0	4,0	4,0
Connection		G 1/8"	G 1/4"	G 1/4"
Max. air consumption per stroke	l	0,5	2,3	5,4
Mechanics				
Max. power of impact	kN	8	35	75
Tool fitting	mm	Ø8 x 32	Ø10 x 45	Ø16 x 45
Total stroke / Useable stroke	mm	30 / 22	60 / 45	80 / 55
Weight	kg	14,5	52	162
Dimensions (w x h x d)	mm	140x210x450	250x340x765	280x443x650
Bearing surface table	mm	100x100	160x160	242x242
T-Notch size	mm	6	10	12
Outreach till middle of tool	mm	80	130	190
Max. work height (without tool)	mm	260	330	370
Spindle feeder	mm	8	15	25

Pneumatic stamping machine PT 35

Effortless and quick marking of small and medium-sized series
with pneumatically supported impact.



WIR. PRÄGEN. ZUKUNFT.

Tools



Pin stamp



Type holders



Standard steel types



Engraved types, stamps



Numbering heads

Pneumatic stamping machine PT 35

Effortless and quick marking of small and medium-sized series
with pneumatically supported impact.



WIR. PRÄGEN. ZUKUNFT.

Accessories



2-hand-release



Foot valve



Compressed air maintenance unit



Work piece-specific devices

Please contact us

We are pleased to make a **marking sample** as well as a **non-binding offer**.
You are welcome to contact us by phone, mail or fax.



+49 (0)7141 / 374567



info@lb-pt.de



+49 (0)7141 / 31386