

Standard steel type case

Selection of standard steel types for the integration into type holders or machine fittings.

Standard steel type case



WIR. PRÄGEN. ZUKUNFT.


Selection of standard steel types for the integration into type holders or machine fittings.

Benefits

- Low-cost, standardized machine stamps with body size of 19 mm in total
- Written form: middle
- Nickel-plated body
- Font size: 1,0 / 1,5 / 2,0 / 2,5 / 3,0 / 4,0 / 5,0 mm
- Toleranz DIN ISO 2768-1 fein
- Scope of delivery:
 - 100 upper case letters, numbers and punctuation marks
 - 20 blind types
 - 1 pair of tweezers
 - Option:
 - 1 single-row type holder
 - 1 hand blow shaft or machine clamping pin

Technical data

Font size (= SH) in mm	Length (= L) in mm	Width (= W) in mm	Height (=H) in mm	Original imprint size
1,0	1,5	4,0	19,0	1234ABCD
1,5	1,5	4,0	19,0	1234ABCD
2,0	2,0	4,0	19,0	1234ABCD
2,5	2,5	6,0	19,0	1234ABCD
3,0	3,0	6,0	19,0	1234ABCD
4,0	4,0	8,0	19,0	1234ABCD
5,0	5,0	8,0	19,0	1234ABCD



Standard steel type case

Selection of standard steel types for the integration into type holders or machine fittings.



WIR. PRÄGEN. ZUKUNFT.

Configuration type case

A	A	A	B	B	C	C	D	D	E	E	E	E	F	F	G	G	H	H	I
I	I	J	J	K	K	L	L	L	M	M	N	N	N	O	O	O	P	P	Q
R	R	R	S	S	S	T	T	U	U	U	V	V	W	X	X	Y	Z	/	/
-	-	.	.	,	,	1	1	1	1	2	2	2	2	3	3	3	3	4	4
4	4	5	5	5	6	6	6	7	7	7	8	8	8	9	9	9	0	0	0

Blind types

Please contact us

We are pleased to make a **marking sample** as well as a **non-binding offer**.
You are welcome to contact us by phone, mail or fax.



+49 (0)7141 / 374567



info@lb-pt.de



+49 (0)7141 / 31386